



EC DECLARATION OF PERFORMANCE

(System 3)

Issue No:001

**WeatherShield Ltd
82 Curriers Close
Canley
Coventry
CV4 8AW**

This document declares that the product:
Linair UPVC Casement Window
Serial Number: LIN001

For domestic and commercial buildings, conforming to the product requirements of BS EN 14351-1:2006+A1:2010 Annex ZA

Essential Characteristics	Performance	Test Standards	Name, Address and Notified Body No of Test Laboratory	Test report reference and issue date
Watertightness	npd	BS EN 1027	N/A	N/A
Dangerous Substances	None	BS EN 14351-1:2006+A1:2010	N/A	In house declaration
Resistance to wind load	npd	BS EN 12211	N/A	N/A
Load-bearing capacity of safety devices	Pass	BS EN 948	N/A	Test W13301-4 and W13001-11
Acoustic performance	npd	BS EN ISO 140-3	N/A	N/A
Thermal transmittance	1.6 W/m ² .k	EN ISO 10077-1 & EN ISO 10077-2 (or EN ISO 12567-1 and prEN 12567-2)	N/A	In house declaration
Radiation Properties	npd	EN 410	N/A	N/A
Air permeability	npd	BS EN 1026	N/A	N/A

This declaration of performance is issued under the sole responsibility of Weathershield Ltd.

Signed on behalf of Weathershield Limited:

Signature:

Name and Position: Darron Cooke - Managing Director

Date:20th June 2013.....